

Thermometer TPM-10

- Usage temperature: $-10^{\circ}\text{C} \sim +110^{\circ}\text{C}$
- Usage humidity: 5% ~ 80%
- Accuracy: $\pm 1^{\circ}\text{C}$
- Distinguishing temperature: 0.1°C
- Unit dimensions: $\sim 4.8 \times 2.8 \times 1.5\text{cm}$
- Insert size: $46 \times 27\text{mm}$
- Cable length: $\sim 200\text{cm}$
- Power: 2 x LR44 button cell batteries



DST-50

- Usage temperature: $-50^{\circ}\text{C} \sim +150^{\circ}\text{C}$
- Accuracy: $\pm 1^{\circ}\text{C}$ ($-20^{\circ}\text{C} \sim +80^{\circ}\text{C}$), $\pm 2^{\circ}\text{C}$ ($-50^{\circ}\text{C} \sim -20^{\circ}\text{C}$, $+80^{\circ}\text{C} \sim +150^{\circ}\text{C}$)
- Distinguishing temperature: 0.1°C
- Unit dimensions: $66.5 \times 31.7 \times 19\text{mm}$
- Insert size: $46 \times 27\text{mm}$
- Cable length: $\sim 200\text{cm}$
- Power: Solar panel and standby battery
light illumination $> 100\text{LUX}$

